

Craig Chike Akoh, MD
Foot and Ankle Surgery Posting Sheet

Patient: _____ DOB: _____ MRN: _____ BMI: _____ Email: _____

Diagnosis: _____

Consent for: (laterality) _____

Allergies: latex Other Allergies: _____ Sleep Apnea _____ CPAP? _____

Patient on Anti-Coagulant? _____ Instructions: _____

Pre-op clearance: Akoh PCP Cardiology Other _____

Pre-op labs: BMP CBC PT/INR Chest x-ray EKG HgbA1c Nicotine Other _____

Antibiotics: Ancef 2 g Ancef 3g Gentamicin 1g Clindamycin 900 mg Vancomycin 15 mg/kg Zosyn 3.375 g

Surgery Location: ROSC PHH HOSC PHH IP WSP Date of Surgery: _____ Physical Therapy _____

Position: supine lateral Prone Bean bag Guhl ankle distractor Follow up _____

Table: Flat OSI Fracture

Anesthesia: SPINAL EPIDURAL Sciatic Femoral Adductor Popliteal/Saphenous IV BLOCK LOCAL GETA OTHER _____

Length of Surgery: _____ Outpatient Observation Admit

Assistants: MD _____ NP _____ PA _____ Hospital _____

C-arm: Large Mini DME: CAM boot postop shoe

| CPT CODES |
|-----------|
| 1. _____ |
| 2. _____ |
| 3. _____ |
| 4. _____ |
| 5. _____ |
| 6. _____ |

| EQUIPMENT |
|-----------|
| 1. _____ |
| 2. _____ |
| 3. _____ |
| 4. _____ |
| 5. _____ |
| 6. _____ |

ANKLE CPT CODE

| Trauma | | Infection/debride | | amputation | | arthritis | |
|---------------------------------------|-----------------|--|-----------------|--|----------------|--------------------------------|-----------------|
| application uniplanar ex fix | 20690 (591.85) | hardware removal | 20680 (415.41) | AKA | 27590 (772.22) | MUA | 27860 (163.02) |
| application multiplanar ex fix | 20692 (1112.36) | I&D leg/ankle abscess/hematoma | 27603 (389.27) | AKA revision | 27596 (704.73) | ankylosis | 718.57 |
| ef-fix adjustment | 20693 (439.8) | cellulitis 682.6 | | disarticulation knee | 27598 (686.9) | mech cx TAR | 996.4 |
| ex-fix removal under anesthesia | 20694 (339.6) | osteo 730.26 | | BKA | 27880 (886.08) | | |
| debride with removal from fx | 11011 (290.91) | open wound 891.1 | | BKA scar revision | 27884 (571.26) | osteotomy tibia | 27705 (749.21) |
| | | | | BKA revision | 27886 (639.81) | osteotomy fibula | 27707 (405.01) |
| Fasciotomy ant or lat | 27600 (398.37) | I&D leg/ankle infected bursa | 27604 (319.77) | Syme | 27888 (634.01) | osteotomy tib/fib | 27709 (1123.21) |
| Fasciotomy posterior | 27601 (438.93) | achilles bursitis 726.71 | | ankle disarticulation | 27889 (626.0) | osteotomy multiple over IM rod | 27712 (1093.08) |
| Fasciotomy ant AND post | 27602 (471.11) | | | chopart amp | 28800 (519.85) | malunion fx 733.81 | |
| Fasciotomy debride ant | 27892 (531.35) | I&D bone | 27607 (593.33) | transmet amp | 28805 (695.34) | genu valgum 736.41 | |
| Fasciotomy debride post | 27893 (613.52) | Arthrotomy w I&D, RO for body | 27610 (641.63) | metatarsal amp (single) | 28810 (426.42) | genu varum 736.42 | |
| Fasciotomy post debride | 27894 (805.78) | cellulitis leg 682.6 | | MTPJ disarticulation | 28820 (174.69) | Fusion ankle open | 27870 (1000.01) |
| exertional compartment synd 729.72 | | septic arthritis 711.07 | | IPJ toe amp | 28825 (169.05) | Arthroplasty debridement | 27700 (605.84) |
| crush injury 928.1 | | chronic osteo leg 730.16 | | | | TAR | 27702 (952.38) |
| trauma compartment syndrome 958.92 | | chronic osteo foot/ankle 730.17 | | Tendon | | Revision TAR | 27703 (1100.67) |
| | | open wound 891.1 | | TAL | 27606 (268.24) | R/O TAR | 27704 (565.19) |
| closed tx tib fx without manip | 27750 (327.92) | infected TAR 996.66 | | gastroc recession | 27687 (450.68) | mech cx TAR 996.4 | |
| closed tib fx with manip | 27752 (494.43) | loose body 718.17 | | length/shortenin tendo | 27685 (462.24) | dislocation TAR 996.43 | |
| ex-fix tib shaft | 27756 (577.44) | | | | | Broken TAR 996.43 | |
| ORIF plate tibia shaft | 27758 (890.84) | arthrotomy with synovectomy | 27625 (568.15) | achilles repair primary | 27650 (653.74) | PeriTAR fx 996.44 | |
| IMN tibia shaft fx | 27759 (979.53) | arthrotomy with synovectomy +tenosynovectomy | 27626 (605.53) | achilles repair FHL xfer | 27652 (656.10) | Osteolysis 996.44 | |
| closed tibia shaft alone fx 823.2 | | PVNS 719.27 | | achilles repair secondar | 27654 (709.02) | Poly TAR wear 996.45 | |
| closed tib-fib shaft fx 823.22 | | | | | | Infection/Inflam 996.66 | |
| open tibia fx alone 823.3 | | Arthrotomy post cap release +/- TAL | 27612 (562.49) | flexor tendon primary re | 27658 (367.34) | s/p TAR v43.66 | |
| open tib-fib shaft fx 823.32 | | contracture joint 718.47 | | flexor tendon second re | 27659 (466.57) | | |
| | | contracture tendon 727.81 | | | | | |
| closed tx med mal fx no manip | 27760 (311.02) | acquired equinovarus 736.71 | | Extensor tendon primar | 27664 (362.05) | SAA w/ OCD drilling | 29891 (665.06) |
| closed tx med mal fx with manip | 27762 (441.47) | | | Extensor tendon second repair +/-graft | 27665 (418.92) | SAA w/fixation | 29892 (635.58) |
| ORIF med mal fx | 27766 (606.19) | debridement skin subq<20 cm2 | 11042 (58.54) | | | SAA w/RO loose body | 29894 (492.78) |
| closed tx post mal w/o manip | 27767 (606.19) | debridement skin muscle <20 cm2 | 11043 (150.54) | dislocating peroneals no | 27675 (494.03) | SAA w/ partial synovectomy | 29895 (460.01) |
| closed tx post mal w/ manip | 27768 (451.66) | debridement skin bone <20 cm2 | 11044 (220.73) | dislocating peroneal w/ | 27676 (602.24) | SAA w/ limited debride | 29897 (494.76) |
| open tx post mal fx | 27769 (723.74) | | | | | SAA w/ extensive debride | 29898 (556.26) |
| closed tx distal fibula fx no manip | 27786 (291.86) | Tumor | | tenolysis flex/ext tendo | 27680 (415.64) | SAA w/ankle fusion | 29899 (996.41) |
| closed tx distal fibula fx with manip | 27788 (389.84) | Biopsy ST leg superficial | 27613 (158.7) | tenolysis flex/ext tendo | 27681 (502.31) | subtalar loose body | 29904 (637.41) |
| open tx distal fibula fx | 27792 (643.28) | Biopsy ST leg deep | 27614 (413.72) | | | subtalar scope +synovectomy | 29905 (504.86) |
| closed tx bimal no manip | 27808 (310.68) | radical resection ST < 5 cm | 27615 (1015.25) | transfer superficial tend | 27690 (633.24) | subtalar scope+debridement | 29906 (637.57) |
| closed tx bimal with manip | 27810 (432.22) | radical resection ST >5 cm | 27616 (1254.95) | transfer deep tendon FC | 27691 (738.16) | subtalar scope +fusion | 29907 (872.33) |
| ORIF bimal fx | 27814 (761.43) | Excision ST SQ < 3 cm | 27618 (304.58) | | | | |
| closed tx trimal no manip | 27816 (298.16) | Excision ST SQ > 3 cm | 27632 (407.62) | Ligaments | | bone debridement | |
| closed tx trimal with manip | 27818 (444.17) | Excision ST deep < 5 cm | 27619 (465.05) | primary repair single col | 27695 (481.78) | ankle arthrotomy | 27610 (641.63) |
| ORIF trimal fx no post mal | 27822 (871.06) | Excision ST deep > 5 cm | 27634 (671.63) | primary repair both coll | 27696 (543.98) | tibial exostectomy | 27640 (825.31) |
| ORIF trimal fx with post mal | 27823 (979.64) | excise cyst tendon/capsule | 27630 (352.78) | secondary repair collate | 27698 (635.35) | talar exostectomy | 28120 (490.69) |
| | | | | deltoid sprain 845.01 | | fibular exostectomy | 27641 (647.62) |
| ORIF syndesmosis | 27829 (705.97) | excise bone cyst/benign neoplasm | 27635 (576.77) | CFL sprain 845.02 | | partial calcaneal exostectomy | 28120 (490.69) |
| closed dislocation ankle 837.0 | | excise bone cyst/benign neoplasm with autograft | 27637 (737.29) | ATFL sprain 845.09 | | ostectomy calc | 28118 (415.62) |
| syndesmosis disruption 845.03 | | excise bone cyst/benign neoplasty with allograft | 27638 (742.56) | tib-fib sprain 845.03 | | ostectomy calc+ plantar fascia | 28119 (358.36) |
| | | benign neoplasm bone 213.7 | | | | ostectomy tarsal coalition | 28116 (582.97) |
| closed tx pilon fx no manip | 27824 (310.07) | neoplasm bone unknown 238.0 | | ORIF syndesmosis | 27829 (705.97) | | |
| closed tx pilon fx with manip | 27825 (495.14) | exostosis 726.91 | | closed dislocation ankle 837.0 | | MISC | |
| ORIF pilon fib alone | 27826 (851.21) | osteo 730.26 | | syndesmosis disruption 845.03 | | ROH | 20680 (415.41) |
| ORIF pilon tibia alone | 27827 (1114.59) | bone cyst 733.21 | | | | Bone graft major | 20902 (271.35) |
| ORIF pilon tib + fib | 27828 (1318.84) | | | | | Bone graft minor | 20900 (178.67) |
| | | partial saucer for osteo tibia | 27640 (825.31) | | | RO suture anest | 15851 (63.82) |
| ORIF non/malunion tibia no graft | 27720 (868.0) | partial saucer for osteo fibula | 27641 (647.62) | | | VAC/dressing change w/ anest | 15852 (45.36) |
| ORIF non/malunion tibia with graft | 27724 (1241.52) | radical resection tibia | 27645 (1744.54) | | | soft tissue expander placement | 11970 (556.59) |
| ORIF non/malunion tib with fibula | 27725 (1204.89) | radical resection fibula | 27646 (1516.46) | | | removal expander | 11971 (546.61) |

Foot CPT codes

| TRAUMA | | INFECTION/TUMOR | | AMPUTATION | | ARTHRITIS | | LESSER TOES |
|---|-----------------------------------|---|-----------------|---------------------------------|----------------|--------------------------------------|-----------------|---------------------------------|
| Fasciotomy foot/toe | 20008 (4.59) | I&D foot bursa | 28001 (94.27) | midtarsal | 28800 (519.85) | open OCD autograft talus | 28446 (1214.2) | L 2 3 4 5 R 2 3 4 5 |
| ORIF taral non/malunion | 28320 (9.369) | I&D below fascia, single | 28002 (137.26) | transmet | 28805 (695.34) | tarsal coalitions excision | 28116 (582.97) | perc tenotomy single |
| ORIF MT non/malunion +/- graft | 28322 (8.529) | I&D below fascia, multiple | 28003 (255.42) | L 2 3 4 5 R 2 3 4 5 | | partial excision calc/talus | 28120 (490.69) | perc tenotomy multiple |
| | | incision osteo foot | 28005 (562.39) | MT, each | 28810 (416.42) | partial excision tarsal/MT | 28122 (431.78) | MT plantar condylectomy |
| Closed tx calcaneal fx | 28400 (231.66) | radical resection of tumor talus or calc | 27647 (974.29) | MTP, each | 28820 (174.69) | congenital anomaly 755.67 | | partial 5th MT head resect, bun |
| Closed tx calcaneal fx w/ manip | 28405 (409.02) | | | IPJ, each | 28825 (169.05) | | | unionette 727.1 |
| Perc fixation calcaneal fx | 28406 (564.03) | | | | DM-II 250.7 | L 2 3 4 5 R 2 3 4 5 | | 2/3/4 MT head resection, each |
| ORIF calcaneal fx | 28415 (1115.88) | Arthrotomy tarsal/TMT | 28020 (365.01) | | DM-I 250.7 | partial excision pahalanx, each | 28124 (328.28) | 5th M T head resection |
| ORIF calcaneal fx + bone graft | 28420 (1289.38) | L 2 3 4 5 R 2 3 4 5 | | Ulcer heel/midfoot | 707.14 | DID 715.17 | | clayton-hoffman 2-5 + PP resect |
| | | arthrotomy MTP +/- loose body, each | 28022 (322.99) | ulcer foot | 707.15 | Hammer toe 735.4 | | RA 714.0 |
| Closed tx talus fx w/o manip | 28430 (212.51) | arthrotomy IPJ, +/- loose body, each | 28024 (302.13) | chronic osteo | 730.17 | claw toe 735.5 | | Chronic osteo 730.17 |
| Closed tx talus fx w/ manip | 28435 (331.60) | cellulitis/abscess foot | 682.7 | gangrene | 785.4 | | | unionette 727.1 |
| Perc fixation of talus fx | 28436 (498.47) | loose body | 718.17 | | | L 2 3 4 5 R 2 3 4 5 | | fx malunion 733.81 |
| ORIF talus fx | 28445 (1029.73) | foreign body | 729.8 | TENDON/LIGAMENT/RECON | | phalanx condyle resection, each | 28153 (259.80) | fx nonunion 733.82 |
| | | chronic osteo | 730.17 | PF release partial | 28060 (354.39) | exostosis 726.91 | | |
| other tarsal bone fx tx w/o manip | 28450 (191.66) | open wound foot | 892.1 | PF resection 2 cm | 28062 (397.72) | | | L 2 3 4 5 R 2 3 4 5 |
| other tarsal bone fx tx w/ manip | 28455 (261.75) | open foot toe | 893 | contracture PF | 728.5 | pantalar fusion | 28705 (1205.15) | dorsal capsulotomy MTP, each |
| Perc fix other tarsal bone fx | 28456 (373.37) | cx hardware | 996.4 | fibromatosis | 728.71 | triple fusion | 28715 (931.7) | Duvries HT IPJ fusion, each |
| ORIF other tarsal bone | 28465 (630.17) | | | | | subtalar fusion | 28725 (770.58) | Weil osteotomy, each |
| | stress fx 733.95 | arthrotomy tarsal TMT w/ biopsy | 28050 (274.02) | synovectomy flexor | 28086 (350.12) | midfoot TMT fusion, multiple | 28730 (721.27) | osteotomy PP, each |
| | Navic 825.22 | L 2 3 4 5 R 2 3 4 5 | | synovectomy extensor | 28088 (287.92) | midfoot fusion, multiple + osteotomy | 28735 (771.61) | unionette 727.1 |
| | cuboid fx 825.23 | arthrotomy MTP with biopsy, each | 28052 (250.55) | achilles bursitis | 726.71 | midfoot TMT fusion, single | 28740 (610.44) | hammer toe 735.4 |
| | cuneiform fx 825.24 | arthrotomy IPJ w/ biopsy, each | 28054 (229.71) | tibial tendonitis | 726.72 | | | claw toe 735.5 |
| | MT fx 825.29 | Neoplasm unknown | 238.1 | ganglion tendon sheath | 727.42 | GREAT TOE | | |
| | | PVNS 719.27 | | | | 1st MTP fusion | 28750 (570.73) | osteotomy MT lesser toes |
| Closed tx tarsal bone dislocation w/ anesth | 28545 (274.01) | | | repair flexor foot | 28200 (322.99) | 1st IP fusion | 28755 (329.94) | cavus foot 736.73 |
| Perc tx tarsal dislocation | 28546 (352.68) | excision mass SQ > 1.5 cm | 28039 (336.96) | repair flexor tendon with graft | 28202 (423.85) | jones procedure | 28760 (557.13) | metatarsal adductus 754.53 |
| ORIF tx tarsal bone dislocation | 28555 (659.12) | Excision mass deep-subfascial > 1.5 cm | 28041 (444.41) | repair extensor foot | 28208 (318.69) | | | |
| Closed tx talotarsal dislocation | 28575 (342.81) | excision mass, SQ < 1.5 cm | 28043 (256.85) | repair ext tendon w/graft | 28210 (420.24) | 1st MT head complete resec | 28111 (315.09) | L 2 3 4 5 R 2 3 4 5 |
| perc tx talotarsal dislocation | 28576 (387.54) | excision mass, deep < 1.5 cm | 28045 (342.83) | tendon tear | 727.68 | Cheilectomy | 28289 (454.6) | recon angular deformity/Planta |
| Open tx talotarsal dislocation | 28585 (689.79) | radical resection tumor < 3 cm | 28046 (699.48) | | | PP osteophyte resection | 28292 (475.71) | 28313 (356.41) |
| Closed tx TMT dislocation | 28605 (308.05) | radical resection tumor > 3 cm | 28047 (1016.01) | tenolysis flexor, single | 28220 (300.16) | cheilectomy + cartiva | 28291 (477.42) | MISC |
| percutaneous TMT dislocation | 28606 (384.23) | lipoma | 214.1 | tenolysis flexor, multiple | 28222 (359.05) | | | fluoro 76000 (42.94) |
| Open tx TMT dislocation | 28615 (821.66) | neoplasm ST unknown | 238.1 | tenolysis ext, single | 28225 (260.49) | Mann | 28306 (400.76) | SLC |
| | L 2 3 4 5 R 2 3 4 5 | | | tenolysis ext, multiple | 28226 (398.78) | Keller | 28292 (475.71) | SLWBC |
| Closed tx MT fx w/o manip, each | 28470 (205.85) | synovectomy tarsal/TMT | 28070 (338.54) | tenosynovitis | 727.06 | Chevron/Scarf | 28296 (504.16) | TTC |
| Closed tx MT fx w/ manip, each | 28475 (227.41) | L 2 3 4 5 R 2 3 4 5 | | | | Lapidus | 28297 (594.52) | SLS |
| Perc Fixation MT fx | 28476 (389.24) | synovectomy MTP, each | 28072 (320.68) | flexor tenotomy, foot | 28230 (280.99) | Akin | 28298 (497.95) | strapping foot/ankle |
| ORIF MT fx, each | 28485 (558.01) | RA 714 | | L 2 3 4 5 R 2 3 4 5 | | Double osteotomy** | 28299 (582.92) | strapping toe |
| | tarsal dislocation cl 838.01 | PVNS 719.27 | | tenotomy toe flexor, each | 28232 (236.65) | | | RO cast |
| | midtarsal dislocation cl 838.02 | | | tenotomy toe extensor, each | 28234 (264.73) | Osteotomy 1st MT | 28306 (400.76) | ankle block |
| | TMT dislocation cl 838.03 | excision mass tendon/capsule foot | 28090 (304.12) | hammer toe 735.4 | | Osteotomy 1st MT + auto | 28307 (516.25) | |
| | tarsal dislocation open 838.11 | L 2 3 4 5 R 2 3 4 5 | | claw toe 735.5 | | Osteotomy PP great toe | 28310 (356.41) | |
| | midtarsal dislocation open 838.12 | excision mass tendon/capsule toe, each | 28092 (267.4) | contracture tendon 727.81 | | Sesamoidectomy | 28315 (322.33) | |
| | | achilles bursitis/tendonitis | 726.71** | contracture joint 718.47 | | | | |
| closed tx lesser toe PP w/o manip, each | 28510 (120.59) | ganglion joint | 727.41 | kidner procedure | 28238 (484.76) | NAILS | | |
| closed tx lesser toe PP w/ manip, each | 28515 (143.41) | ganglion tendon | 727.42 | tibial tendonitis 726.72 | | L 2 3 4 5 R 2 3 4 5 | | |
| ORIF lesser toe phalanx, each | 28525 (401.32) | | | calcaneal osteotomy | 28300 (645.28) | debride nail 1-5 | 11720 (124.23) | |
| | | bone cyst curretage talus/calc | 28100 (414.64) | calc deformity acq 736.76 | | debride nail > 6 | 11721 (23.16) | |
| Closed tx great toe phalanx fx w/o manip | 28490 (125.56) | bone cyst curretage talus/calc auto | 28102 (610.56) | tarsal osteotomy | 28304 (608.18) | avulson nail plate 1 nail | 11730 (52.59) | |
| Closed tx great toe phalanx fx w/ manip | 28495 (148.7) | bone cyst curretage talus/calc allo | 28103 (380.51) | acq deformity 736.76 | | avulsion nail, addtl | 11732 (16.88) | |
| Perc tx great toe phalanx fx | 28496 (247.53) | bone cyst curretage tarsal/MT | 28104 (348.46) | | | evacuation subungual hematoma | 11740 (31.39) | |
| ORIF great toe phalanx fx | 28505 (489.68) | bone cyst curretage tarsal/MT auto | 28106 (417.54) | NERVES | | winograd | 11750 (98.83) | |
| closed tx sesamoid fx | 28530 (100.44) | bone cyst curretage tarsal/MT allo | 28107 (340.15) | ankle block | 64450 (41.01) | biopsy nail | 11755 (59.20) | |
| ORIF sesamoid fx | 28531 (178.12) | bone cyst curretage tumor phalanges | 28110 (287.59) | tarsal tunnel release | 28035 (354.76) | repair nail bed | 11760 (108.77) | |
| | | bone cyst curretage phalanges allo | 28110 (287.59) | IDN neurectomy | 28055 (378.56) | nail fold skin excision | 11765 (90.55) | |
| | L 2 3 4 5 R 2 3 4 5 | bone cyst curretage tarsal phalanges auto | 28110 (287.59) | morton neuroma ex | 28080 (372.8) | | | |
| closed tx IPJ dislocation | 28665 (123.31) | ABC 733.22 | | nerve lesion | 355.6 | | | |
| Perc tx IPJ dislocation | 28666 (174.18) | Bone cyst 733.29 | | nerve pain | 729.2 | | | |
| Open tx IPJ dislocation | 28675 (408.61) | | | | | | | |
| | IPJ dislocation closed 883.06 | L 2 3 4 5 R 2 3 4 5 | | | | | | |
| | | MT resection, each | 28140 (421.03) | | | | | |
| | | chronic osteo | 730.17 | | | | | |
| | | RO foreign body SQ | 28190 (129.91) | | | | | |
| | | RO foreign body deep | 28192 (305.12) | | | | | |
| | | RO foreign body complicated | 28193 (360.00) | | | | | |